

A barista with brown hair in a bun, wearing a white chef's coat and a dark apron, is smiling while operating a WMF coffee machine. She is holding a white cup under a coffee spout. The machine is black and silver with a glass door showing the internal components. The background is a blurred coffee shop interior with warm lighting.

**Add-ons. Diversity.
Inspiration.**

WMF Coffee Machines – Accessories 2016

Contents

Add-on Devices	4	Vending Devices	24
Cup Racks	6	Water Filters	28
Cup&Cool	8		
Cooler	10		
Comparison table	14		
Customized Solutions	16		
Mobile coffee stations	18		
Inserts	20		
Syrup Rack	22		
Cup Dispenser	23		

Machines that inspire. With add-ons to match.

Our coffee machines create extraordinary moments of indulgence. Although for us, that still isn't enough. We also set aside the perfect support team for our machines: helpers, who alleviate the daily workload in both service and self-service areas and contribute towards perfect coffee and milk foam quality. In order to satisfy diverse needs and requirements, there is a large range of accessories available: for cooling, keeping warm and storing, as well as transportation, payment and water optimization purposes. Our coffee machines and accessories are perfectly coordinated, both technically and optically, to enable flawless collaboration – an real dream team.



The perfect place for your cups. And milk.

Just reach for the cup rack or Cup&Cool directly next to the coffee machine and you or your guest can lay your hands on a perfectly tempered cup or latte macchiato glass: hot enough to prevent the beverage cooling down too quickly, but not so hot that you burn your mouth. This is particularly helpful with small amounts of coffee such as espresso. Milk is well-stored in properly chilled tanks – above all, hygienically. And by regulating the temperature of the milk tank at a milk temperature of up to 5 °C, you will achieve optimal conditions for top-quality milk foam quality. Everything is within easy reach, so you can spend your time indulging more customers with coffee. Or, of course, your customers can also help themselves using the aesthetically perfect, tailor-coordinated accessories.

Cup Racks

A cosy home for your cups.



Main features at a glance

- ① Cups and glasses are always ready at the perfect temperature – hot enough to keep the drink warmer for longer, but without burning mouths
- ② High-quality, easy to clean materials (stainless steel shelves, side panels made of special shatterproof glass)
- ③ The transparent side panels enable inspection and surveillance, and provide light
- ④ The design matches our coffee machines perfectly. Illumination can be adjusted on the machine to suit the setting



For the space-maker

Cup rack, wide
Article number: 03.9020.0002

Nominal output/Power supply: 0.16 kW/220–240 V
Outer dimensions (width/height/depth): 368/530/539 mm
Empty weight: approx. 28 kg

- 88 bis 320 cups, mugs or glasses (stackable)
- Thermostat
- 4 heatable brushed stainless steel shelf floors
- Optically stylish glass design with black rear panel
- Suitable for self-service
- LED illumination with adjustable colour settings

Comparison table on page 14



For the space-saver

Cup rack, narrow
Article number: 03.9020.0102

Nominal output/Power supply: 0.15 kW/220–240 V
Outer dimensions (width/height/depth): 286/530/539 mm
Empty weight: approx. 27 kg

- 60 to 260 cups, mugs or glasses (stackable)
- Thermostat
- 4 heatable brushed stainless steel shelf floors
- Optically stylish glass design with black rear panel
- Suitable for self-service
- LED illumination with adjustable colour settings

Comparison table on page 14



Cup&Cool, narrow + WMF 5000 S + Cup rack, narrow



Cup&Cool, narrow + WMF 5000 S + Cup rack, narrow

Cup&Cool

Cups & milk: the compact couple.



Main features at a glance

- ① – ④ See page 6 for cup rack features
- ⑤ Removable, easy-to-fill and clean milk tank (hygiene)
- ⑥ Milk temperature sensor (optional): Milk temperature is indicated on the coffee machine display.
- ⑦ Milk volume sensor (optional): The coffee machine display indicates when milk requires refilling.
- ⑧ Lockable door
- ⑨ Removable seal: In case of porosity or damage to the seal, the entire door does not need replacing.



For the diverse mix of cups and milk

Cup&Cool, wide
Article number: 03.9021.6011

Nominal output/Power supply: 0.2 kW/220–240 V
Outer dimensions (width/height/depth): 368/530/565 mm
Empty weight: approx. 32 kg

- 45 to 130 cups, mugs or glasses (stackable)
- Removable milk tank with a capacity of approx. 9.5 l
- Thermostat
- 2 heatable brushed stainless steel shelf floors
- Optically stylish glass design
- Suitable for self-service
- Lockable with removable seal
- LED illumination with adjustable colour settings

- Optional**
- Sensors for milk temperature and milk-empty message (if available on the machine)
 - Milk hose routing on both left and right side. This enables the usage of two coffee machines (WMF 1500 S, WMF 5000 S und WMF 8000 S)

Comparison table on page 14



For cups and milk in confined paces

Cup&Cool, narrow
Article number: 03.9021.5011

Nominal output/Power supply: 0.15 kW/220–240 V
Outer dimensions (width/height/depth): 285/530/565 mm
Empty weight: approx. 31 kg

- 45 to 130 cups, mugs or glasses (stackable)
- Removable milk tank with a capacity of approx. 9.5 l
- Thermostat
- 2 heatable brushed stainless steel shelf floors
- Optically stylish glass design
- Suitable for self-service
- Lockable with removable seal
- LED illumination with adjustable colour settings

- Optional**
- Sensors for milk temperature and milk-empty message (if available on the machine)

Comparison table on page 14



WMF 8000 S + Cup&Cool, wide + WMF 8000 S



WMF 8000 S + Cup&Cool, wide + WMF 8000 S

Coolers

Always up to the minute on milk. Always cool.



Main features at a glance

- | | |
|---|---|
| ① Removable, easy-to-fill and clean milk tank (hygiene) | ④ Lockable door |
| ② Milk temperature sensor (optional): Milk temperature is indicated on the coffee machine display. | ⑤ Removable seal: In case of porosity or damage to the seal, the entire door does not need replacing. |
| ③ Milk volume sensor (optional): The coffee machine display indicates when milk requires refilling. | ⑥ Rear view |



The little independent one

Countertop cooler
Article number: 03.9190.0001

Nominal output/Power supply: 0.08 kW/220–240 V
Outer dimensions (width/height/depth): 228/344/469 mm
Empty weight: approx. 13.5 kg

- Removable milk tank with a capacity of approx. 3.5 l
- Thermostat
- Separate on/off switches
- Suitable for self-service
- Lockable with removable seal

Comparison table on page 15



With enlarged digital display

Countertop cooler
Article number: 03.9190.5001

Nominal output/Power supply: 0.08 kW/220–240 V
Outer dimensions (width/height/depth): 228/392/463 mm
Empty weight: approx. 14.3 kg

- Removable milk tank with a capacity of approx. 3.5 l
- Large digital notification on the front panel display
- Thermostat
- Separate on/off switches
- Suitable for self-service
- Lockable with removable seal

Comparison table on page 15



Countertop cooler + WMF 1200 S



Countertop cooler + WMF 1200 S



The cold-milk essential

Countertop cooler
Article number: 03.9192.6011

Nominal output/Power supply: 0.08 kW/220–240 V
Outer dimensions (width/height/depth): 231/350/534 mm
Empty weight: approx. 16.5 kg

- Removable milk tank with a capacity of approx. 6.5 l
- Thermostat
- Separate on/off switches
- Suitable for self-service
- Lockable with removable seal

Optional

- Sensors for milk temperature and milk-empty message (if available on the machine)
- Plug&Clean integrated in the cooler with milk-empty message

Comparison table on page 15



Countertop cooler + WMF 1500 S



Loads of milk for up to 2 machines

Countertop cooler
Article number: 03.9469.7011

Nominal output/Power supply: 0.08 kW/220–240 V
Outer dimensions (width/height/depth): 336/280/533 mm
Empty weight: approx. 22 kg

- Removable milk tank with a capacity of approx. 9.5 l
- Thermostat
- Separate on/off switches
- Suitable for self-service
- Lockable with removable seal

Optional

- Sensors for milk temperature and milk-empty message (if available on the machine)
- Milk hose routing on both left and right side. This enables the operation of two coffee machines (WMF 1500 S, WMF 5000 S and WMF 8000 S)

Comparison table on page 15



WMF 5000 S + countertop cooler + WMF 5000 S



The stacking solution for mega amounts of milk

Under-counter cooler
Article number: 03.9468.6011

Nominal output/Power supply: 0.2 kW/220–240 V
Outer dimensions (width/height/depth): 406/265/539 mm
Empty weight: approx. 26 kg

- Removable milk tank with a capacity of approx. 9.5 l
- Compact milk hose routing via the drip tray
- Thermostat
- Suitable for self-service
- Lockable with removable seal

Optional

- Sensors for milk temperature and milk-empty message (if available on the machine)

Comparison table on page 15



WMF 8000 S on under-counter cooler



Mega milk loads require less space

Under-machine cooler
Article number: 03.9469.6011

Nominal output/Power supply: 0.08 kW/220–240 V
Outer dimensions (width/height/depth): 345/300/539 mm
Empty weight: approx. 22 kg

- For mega amounts of milk and confined counters
- Removable milk tank with a capacity of approx. 9.5 l
- Thermostat
- Separate on/off switches
- Suitable for self-service
- Lockable with removable seal
- Compact milk hose routing through the drip tray

Optional

- Sensors for milk temperature and milk-empty message (if available on the machine)

Comparison table on page 15



WMF 1500 S on under-machine cooler

Enhanced Indulgence. Perfectly coordinated.

Add-on devices available for the following models

WMF 1200 S/ 1200	✓	✓	✓	✓
WMF 1500 S/ 1900	✓	✓	✓	✓
WMF 5000 S/ 1910	✓	✓	✓	✓
WMF 8000 S/ 8800	✓	✓	✓	✓
WMF 150 F	✓	✓	-	-
WMF 1200 F/ 1210	✓	✓	-	-
WMF combiNation F	✓	✓	-	-



	Cup rack, wide	Cup rack, narrow	Cup&Cool, wide	Cup&Cool, narrow
Article number	03.9020.0002	03.9020.0102	03.9021.6011	03.9021.5011
Nominal output / Power supply	0.16 kW / 220–240 V	0.15 kW / 220–240 V	0.2 kW / 220–240 V	0.15 kW / 220–240 V
Outer dimensions (width / height / depth)	368 / 530 / 539 mm	286 / 530 / 539 mm	368 / 530 / 565 mm	285 / 530 / 565 mm
Empty weight	approx. 28 kg	approx. 27 kg	approx. 32 kg	approx. 31 kg
Removable milk tank	-	-	9.5 l	4.5 l
Max. cup capacity	88 to 320 cups, mugs or glasses (stackable)	60 to 260 cups, mugs or glasses (stackable)	45 to 130 cups, mugs or glasses (stackable)	45 to 190 cups, mugs or glasses (stackable)
With thermostat	✓	✓	✓	✓
Heatable shelf floors	4, stainless steel	4, stainless steel	2, stainless steel	3, stainless steel
Suitable for self-service	✓	✓	✓	✓
Sensors for milk temperature and milk-empty message (if available on the machine)	-	-	Optional	Optional
Plug+Clean integrated into the cooler + empty milk signal	-	-	-	-
Illumination (can be set to different colours)	✓	✓	✓	✓
Lockable with removable seal	-	-	✓	✓
Other	-	-	Optional: Milk hose routing on both left and right side. Switching between two coffee machines is possible with the WMF 1500 S / 5000 S and WMF 8000 S	-

✓	✓	✓	✓	-	-
✓	✓	✓	✓	-	✓
✓	✓	✓	✓	-	✓
✓	✓	✓	✓	✓	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Countertop cooler	Countertop cooler	Countertop cooler	Countertop cooler	Under-counter cooler	Under-machine cooler
03.9190.0001	03.9190.5001	03.9192.6011	03.9469.7011	03.9468.6011	03.9469.6011
0.08 kW / 220–240 V	0.08 kW / 220–240 V	0.08 kW / 220–240 V	0.08 kW / 220–240 V	0.2 kW / 220–240 V	0.08 kW / 220–240 V
228 / 344 / 469 mm	228 / 392 / 463 mm	231 / 350 / 534 mm	336 / 280 / 533 mm	406 / 265 / 539 mm	345 / 300 / 539 mm
approx. 13.5 kg	approx. 14.3 kg	approx. 16.5 kg	approx. 22 kg	approx. 26 kg	approx. 22 kg
3.5 l	3.5 l	6.5 l	9.5 l	9.5 l	9.5 l
-	-	-	-	-	-
✓	✓	✓	✓	✓	✓
-	-	-	-	-	-
✓	✓	✓	✓	✓	✓
-	-	Optional	Optional	Optional	Optional
-	-	Optional	-	-	-
-	-	-	-	-	-
✓	✓	✓	✓	✓	✓
-	Large digital display on the front panel indicating milk temperature	-	Optional: Milk hose routing on both left and right side. Switching between two coffee machines is possible with the WMF 1500 S / 5000 S and WMF 8000 S	-	Under-counter installation only with the WMF 8000 S




The perfect enhancement. Just name your wish.

Every customer is individual, which is precisely why we offer so many different kinds of enhancement. Whether you need mobile stations for flexible usage externally or in the conference room, further indulgent offers or support with self-service – everything is taken care of. Instead of often unsatisfactory do-it-yourself solutions, you get professional enhancements. This not only ensures that everything is entirely cleared up and ready-to-use, but in terms of appearance, you bond aesthetically with your coffee machine.

Mobile coffee stations

Calling all stations to indulgence.
Whenever and wherever.



Main features at a glance

- | | |
|--|---|
| 1 Mobile and works independently of water supply | 6 Electricity power supply |
| 2 Stable, loadable with up to 275 kg | 7 Fresh-water tank; the electricity power supply is located behind the fresh-water tank |
| 3 Lockable | 8 Waste-water tank |
| 4 Stable, lockable wheels | 9 Fresh-water pump |
| 5 Inclusive technical group with article number 03.9493.0001 | 10 Ducts for electricity and waste-water pipe |



Global coffee goes mobile

Mobile coffee station, wide
Article number: 03.9491.0115*

Nominal output/Power supply: 3.3 kW/230 V
Outer dimensions (width/height/depth): 1250/900/780 mm
Weight: 103 kg

- Space for coffee machine plus accessories (e.g. countertop cooler, cup or vending device)
- With various types of water supply, depending on coffee machine features
- Fresh-water tank with a capacity of approx. 25 l
- Waste-water tank with a capacity of approx. 13 l
- Suitable for self-service
- Lockable

* Incl. technical group with article number 03.9493.0001 (see page 20) for WMF 1200 F, WMF 1200 S, WMF 1500 S, WMF 5000 S and WMF 8000 S, not usable with the WMF Dynamic Milk System



Space solutions come slender and flexible

Mobile coffee station, narrow
Article number: 03.9491.0101*

Nominal output/Power supply: 3.3 kW/230 V
Outer dimensions (width/height/depth): 850/900/780 mm
Weight: 93 kg

- Space for coffee machine or a coffee machine plus countertop cooler or vending device
- With various types of water supply, depending on coffee machine features
- Fresh-water tank with a capacity of approx. 25 l
- Waste-water tank with a capacity of approx. 13 l
- Suitable for self-service
- Lockable

* Incl. technical group with article number 03.9493.0001 (see page 20) for WMF 1200 F, WMF 1200 S, WMF 1500 S, WMF 5000 S and WMF 8000 S, not usable with the WMF Dynamic Milk System



Water and milk tanks.



Flexible water supply

Technical group

Article number: 03.9493.0001

Outer dimensions (width/height/depth): 525/620/540 mm
Empty weight approx. 7.5 kg

- For WMF 1200 F, WMF 1200 S, WMF 1500 S, WMF 5000 S, WMF 8000 S and WMF espresso
- With external booster pump
- Separate electricity, water and waste-water supply
- For mobile stations or short-term use
- Fresh-water tank with a capacity of approx. 25 l
- Waste-water tank with a capacity of approx. 13 l



A milk tank for any cooler

Milk tank

Article number: 03.9499.0001

Outer dimensions (width/height/depth): 460/280/310 mm
Empty weight approx. 4 kg

- For standard coolers (must be pierceable from above)
- Removable milk tank with a capacity of approx. 18 l
- For WMF 1500 S, WMF 5000 S and WMF 8000 S
- Mounting fixture and milk-empty message
- Standpipe and Plug&Clean hose adapter
- Made of polycarbonate

Collecting and disposing of coffee grounds.



Collection point for coffee grounds

Grounds separator

Article number: 03.9011.0002

Outer dimensions (width/height/depth): 314/579/440 mm
Empty weight: approx. 12 kg

- Can be used with WMF filter coffee machines with coffee grounds rinse
- Simple, clean, fast and secure collection and disposal of coffee grounds
- Includes grounds container (further grounds containers available with article number 03.9011.1001)
- Grounds sensor signals a full grounds container on the display
- Capacity of approx. 12 l

It's all about XXL indulgence.



Setting beverage diversity in motion

Syrup rack
Article number: 03.9014.0001

Outer dimensions (width/height/depth): 326/205/550 mm
Empty weight: approx. 5 kg

- Holds a maximum of 6 syrup bottles
- Rotatable

Take a shot of indulgence.



Tug a mug. Coffee to go.

Cup dispenser
Article number: 03.9199.0002

Outer dimensions (width/height/depth): 230/192/500 mm
Empty weight: approx. 5 kg

- Suitable for 2 stacks of cups with a length of up to 390 mm
- For individual use (stand alone)
- Stackable (max. 3 cup dispensers on top of each other)
- Can be used as an add-on with the countertop cooler (article number 03.9192.6011)
- Suitable for self-service
- Cup diameter 60–90 mm



Our machines make the coffee.
You set the price.

Self-service is truly effortless with our coffee machines. Thanks to the user-friendly display, anyone is able to intuitively select beverages. In conjunction with the vending devices, even paying has also become sure-fire success. You can now choose between various methods of payment: whether in cash with coins, cashless with tokens or cash cards. A wide selection of coin checkers, coin changers and casings for your individual card readers cater for your payment preferences. Nobody needs to be taking cash or filling out time-consuming tally sheets anymore. And that makes your coffee machine its own autonomous sales unit.

Vending Devices

Almost turn over by themselves.



Coin changer, narrow

Outer dimensions (width/height/depth): 105/500/350 mm

WMF 1500 S, WMF 5000 S, WMF 8000 S



Coin changer, wide

Outer dimensions (width/height/depth): 170/604/496 mm

WMF combiNation F

Coin changer, narrow or wide

- Connection for 1 WMF coffee machine
- Always fitted on the right side of the machine
- Accepts coins (5 cents to 2 euros) and WMF tokens
- Returns change (i.e. the difference between set price and coins inserted)
- Individual prices can be set for each beverage
- Up to 99 retail prices can be set
- All devices fitted with either "free of charge" switch or switchable to "Free of charge" on the display



WMF 8000 S + coin changer, narrow



WMF combiNation F + coin changer, wide



Coin checker, narrow

Outer dimensions (width/height/depth): 105/502/350 mm

WMF 1200 F, WMF 1200 S, WMF 1500 S, WMF 5000 S, WMF 8000 S



Coin checker, wide

Outer dimensions (width/height/depth): 170/604/496 mm

WMF combiNation F

Coin checker, narrow

- Individual prices can be set for each beverage
- Up to 99 retail prices can be set (except with WMF 1200 S, WMF 1200 F and WMF combiNation F, setting based on two retail prices)
- Enables multiple sales
- WMF 1200 F and WMF 1200 S can only be fitted with two-price coin checkers, WMF 1200 F - without brew arm pullout
- Switchable to "free of charge" on the display. Except WMF 1200 S and WMF 1200 F with "free of charge" switch

Coin checker, wide

- Connection for 1 WMF coffee machine
- Always fitted on the right side of the machine
- Accepts coins (5 cents to 2 euros) and WMF tokens, setting based on two retail prices
- No change returned



WMF 8000 S + coin checker, narrow



WMF combiNation F + coin checker, wide



Card reader, narrow
(as shown in figure)

Outer dimensions (width/height/depth): 130/500/350 mm

WMF 1500 S, WMF 5000 S, WMF 8000 S



Card reader, wide
(as shown in figure)

Outer dimensions (width/height/depth): 170/604/496 mm

WMF combiNation F

Card reader, narrow or wide

- Connection for 1 WMF coffee machine
- Always fitted on the right side of the machine
- Connected via MDB interface
- Card reader is supplied by the customer and sent to the WMF factory site in Geislingen for installation
- Also forward all available information about the card reader to WMF
- WMF checks the card reader on request, particularly with regard to compatibility, and builds it into the casing
- The following card readers can for example be used: Girovend, Maas, Wittenborg, Cashcard, Kalisch, Alldata/Intercard, Seitz, Saecocard, Schomäcker. Cash-card reader: Thales (for narrow card readers, exclusively suited to MDB readers)
- Individual prices can be set for each beverage
- Switchable to "Free of charge" on the display
- Contactless payment process „Tap&Go™" available, depending on card reader (selection first as opposed to the usual credit first)



WMF 8000 S + card reader, narrow



WMF combiNation F + card reader, wide



Optimizing water. For absolute indulgence.

Water inevitably differs according to place of origin. In general though, its composition and quality is far from ideal. Our water filters enable any type of water to be refined and cleaned over several stages. Because only by using optimal water, will the coffee reveal its full aromatic intensity. And it does not only improve the coffee's flavour – but indeed provides the coffee machine with protection against limescale. This in turn extends the service life of the coffee machine and reduces service costs. Thanks to our water filters, coffee's main ingredient, water, meets even the highest of demands – both in flavour and quality.

Water filters

5-stage-filtration – long live the coffee machine.



The universal filter head fits all filter cartridges



Water filter bestmax V Article number: 03.9333.0001	Water filter bestmax M Article number: 03.9331.0001	Water filter bestmax XL Article number: 03.9332.0001	Water filter bestmax 2XL Article number: 03.9334.0001
For approx. 2.500 l with 10 °dKH dimensions Diameter: 115 mm Height: 450 mm	For approx. 3.800 l with 10 °dKH dimensions Diameter: 130 mm Height: 500 mm	For approx. 6.800 l with 10 °dKH dimensions Diameter: 145 mm Height: 530 mm	For approx. 12.000 l with 10 °dKH dimensions Diameter: 185 mm Height: 600 mm
WMF 1200 S	WMF 1200 F, WMF 1500 S	WMF 5000 S, WMF 8000 S, WMF espresso	WMF 8000 S, WMF combiNation F

- Filter system for optimizing water in gastronomy
- Reduces calcium and magnesium ions, particles, odd-tasting and smelling components like chlorine
- Universally, suited to about 90 % of all water situations
- More efficient anti-scaling protection while guaranteeing aroma and enjoyment
- For high-quality coffee specialties and filter coffee

Main features at a glance

5-stage-filtration

Highly efficient anti-scaling protection

Even the bypass-water is filtered

Extremely easy handling when changing the filter

Horizontally und vertically usable

Automatic water-stop when changing the filter

WMF Group GmbH Coffee Machines International
Eberhardstrasse 35 · D-73312 Geislingen/Steige, Germany
Phone: + 49 73 31 258 482 · Fax: +49 73 31 258 792
gastro-export@wmf.de · www.wmf-coffeemachines.com

3302 # 63.8094.0391 Printed in Germany 03.16
Subject to technical alterations, errors and misprints.

